

京都府立海洋センター研究報告

第 27 号

京都府立海洋センター

2005年3月

京都府立海洋センター研究報告

第 27 号

目 次

氷上保存および解凍によるアカガレイの体長収縮	柳下直己, 岩尾敦志, 山崎 淳	1
魚礁域に放流したキジハタの超音波バイオテレメトリーによる追跡	井谷匡志, 尾崎 仁, 濱中雄一	5
若狭湾西部海域で採集された流れ藻の種組成	八谷光介, 西垣友和, 道家章生, 和田洋藏	13
京都府網野地先に設置した基質に形成されたホンダワラ群落の遷移 ホンダワラ群落の生産構造図とフシスジモクの年齢構成	八谷光介, 西垣友和, 道家章生, 井谷匡志, 和田洋藏	19
トリガイ近交系間交雑に見られた雑種強勢	藤原正夢, 田中雅幸, 岡部三雄	25
耳吊り方式によるイワガキの養殖手法	田中雅幸, 藤原正夢	31
(短 報)		
京都府沿岸における水中の光環境とアマモの分布下限水深の関係について	西垣友和, 八谷光介, 井谷匡志, 和田洋藏	35
イワガキ付着稚貝飼育における給餌方法	岡部三雄, 藤原正夢	37
(抄 録)		
Density, growth and reproduction of the sea urchin <i>Anthocidaris crassispina</i> (A. Agassiz) in two different adjacent habitats, the <i>Sargassum</i> area and <i>Corallina</i> area	Kousuke Yatsuya and Hiroyuki Nakahara	41
Diet and stable isotope ratios of gut contents and gonad of the sea urchin <i>Anthocidaris crassispina</i> (A. Agassiz) in two different adjacent habitats, the <i>Sargassum</i> area and <i>Corallina</i> area	Kousuke Yatsuya and Hiroyuki Nakahara	41
超音波バイオテレメトリーを用いた魚類の行動追跡手法 - 若狭湾および舞鶴湾におけるアカアマダイの研究例 -	横田高士, 三田村啓理, 荒井修亮, 光永 靖, 竹内宏行, 津崎龍雄, 井谷匡志	41
若狭湾西部海域におけるヤナギムシガレイの年齢と成長および年齢組成	柳下直己, 大木 繁, 山崎 淳	41

BULLETIN OF THE KYOTO INSTITUTE OF OCEANIC AND FISHERY SCIENCE

NO.27

CONTENTS

Originals

- Shrinkage of Body Length in *Hippoglossoides dubius* during Storage on Ice and after Thawing
.....Naoki Yagishita, Atsushi Iwao and Atsushi Yamasaki 1
- Behavior of the Red Spotted Grouper, *Epinephelus akaara*, around Artificial Reefs, Tracked using Ultrasonic Biotelemetry
.....Masashi Itani, Hitoshi Ozaki and Yuuichi Hamanaka 5
- Species Composition of Drifting Seaweed Collected in Western Wakasa Bay, Japan Sea
.....Kousuke Yatsuya, Tomokazu Nishigaki, Akio Douke and Yozo Wada 13
- Succession of a Sargassaceae Community on an Artificially Installed Stone Bed off Amino, Japan Sea
Productive Structure of Sargassaceae Community and Age Composition of *Sargassum confusum*
.....Kousuke Yatsuya, Tomokazu Nishigaki, Akio Douke, Masashi Itani and Yozo Wada 19
- Heterosis in the Cockle *Fulvia mutica* in a Crossbreeding Experiment among Inbred Lines
.....Masamu Fujiwara, Masayuki Tanaka and Mitsuo Okabe 25
- Cultivating Method using Individually Hanging for Iwagaki Oyster *Crassostrea nippona*
.....Masayuki Tanaka and Masamu Fujiwara 31
- Short Paper
- Relationship between Underwater Light Condition and Lower Depth Limit of *Zostera marina* in Coastal Area of
Kyoto Prefecture.Tomokazu Nishigaki, Kousuke Yatsuya, Masashi Itani and Yozo Wada 35
- Method of Feeding in Rearing of Spats of Iwagaki Oyster, *Crassostrea nippona*
.....Mitsuo Okabe and Masamu Fujiwara 37
- Excerpt
- Density, growth and reproduction of the sea urchin *Anthocidaris crassispina* (A. Agassiz) in two different adjacent habitats, the
Sargassum area and *Corallina* area.....Kousuke Yatsuya and Hiroyuki Nakahara 41
- Diet and stable isotope ratios of gut contents and gonad of the sea urchin *Anthocidaris crassispina* (A. Agassiz) in two
different adjacent habitats, the *Sargassum* area and *Corallina* areaKousuke Yatsuya and Hiroyuki Nakahara 41
- A method of studying fish behavior using underwater acoustic biotelemetry
Trackinnng of the red tilefish released in the Wakasa Bay and the Maizuru Bay
..... Takasi Yokota, Hiromichi Mitamura, Nobuaki Arai, Yasushi Mitsunaga,
Hiroyuki Takeuchi, Tatsuo Tsuzaki and Masashi Itani 41
- Age, growth and age composition of *Tanakius kitaharai* in the western Wakasa Bay, Japan
.....Naoki Yagishita, Shigeru Ohki and Atsushi Yamasaki 41